

MOHAWK LIFT OPTIONS

MAKES THE BEST LIFTS EVEN BETTER!



Model LC-12



Model TP-30



Model MP-18-030



Model TR-75



Model 50-26 S



Model V-77-30S



MOHAWK LIFTS

Americas Best Lift Investment...

Still proudly designed, welded
and manufactured in the U.S.A.



MOBILE COLUMN LIFTS & OPTIONS



Shown: MP-18
Accessory #MP-2500



FRONT TO REAR BUMPER ADAPTOR (HMMWV Adaptors)

- Slips over the forks to allow vehicle to be raised by the bumper or frame
- 26,000 lb. (one pair) lifting capacity
- Leave wheels free for service of tires & brakes
- Capable of lifting F-450/F-650 pick-up trucks



MID & FULL HEIGHT JACK STANDS

- 20,000, 30,000 or 40,000 lb. capacities
- Allows multiple vehicles to be raised with just 1 set of mobile columns
- Complies with requirements of ASME PASE standard for portable automotive lifting devices
- 7" fine adjustment at top of stand
- Spring loaded for easy raising and lowering



SLOPE INDICATOR

Attaches to the mobile column to display the floor slope measured in degrees



Shown: MP-18
Accessory #MP-18-030



LONG LIFTING FORKS

- 22" forks support all 4 tires of rear axle
- Capacity only decreased to 16,000 per column vs. higher decrease of competitive columns
- Both rear tires are lifted so as to not over pressurize



Shown: MP-18
Accessory #MP-2300



CHASSIS LIFTING BEAM

- Permits vehicles to be raised by the frame, leaving the wheels hanging free
- 35,000 lb. lifting capacity.



AUTO FRAME ADAPTOR

Quickly slides over lifting forks & allows two columns to raise cars & light trucks by the frame to leave the wheels free

RUNWAY LIFT OPTIONS



Shown: MP-18
Accessory
#MP-2200

FORK LIFT ADAPTORS ▲

- Allows fork lifts to be serviced with the tires hanging free
- 28,000 lb. lifting capacity



Wheels Free
Jack in Use



ROLLING AIR/ HYDRAULIC JACKS ▲

- For wheels-free tire and brake service
- Two jacks allow the entire vehicle to be raised
- Full under-vehicle access with no obstructions
- Note: Tires raised off of runways*
- ALL certified



Shown: TR-50
Accessory
#050-050-062



Wheels Free
Jack in Use

DRIVE-THROUGH APPROACH RAMPS ▲

- Drive-through ramps make for easy-on, easy-off
- ALL certified
- Approach ramps (or drive-through ramps) are stationary or ramps can rise with the lift (stationary ramps standard)
- Customized lifts available with extra long, wide, capacity configurations
- Available for models TR-33 - TR-75



Shown: TR-50
Accessory
#075-011-055



Available for models TR-33 - TR-75

EXPLOSION/SHATTER PROOF FLUORESCENT TRACK LIGHTING ▲

- Brightens up even the darkest vehicle undercarriage, allowing technicians to clearly see
- ALL certified



Shown: TR-50
Accessory
#050-050-038



Shown: MP-18
Accessory
#MP-2400

WING PLOW ADAPTOR/RV SLIDE OUT ADAPTOR ▲

- Allows wing snow plow trucks to be raised without removing the snow plow
- Allows RV slides to be extended and lifted
- 25,000 lb. lifting capacity



Shown: MP-18 Accessory
#MP-1300-A-020

PENDANT CONTROL ▲

Allows walk around remote operation of all columns



ALIGNMENT COMPATIBLE ▲

- Track alignment cutout option available on all 4-post lifts
- TR-25 alignment lift shown with alignment plates and tires raised off of runways



Shown: TR-25
Accessory
#025-014-037

2-POST OPTIONS

SAFETY WEIGHT GAUGE ▶

- Installed directly into the hydraulic system
- As a diagnostic tool, the weight gauge will help you sell heavy duty brake parts, shocks, and tires
- Available for all Mohawk two-post lifts
- Gauge allows techs to know the lift has been lowered and is locked on the mechanical locks
- ALI certified



Shown: System IA Accessory #601-440-018



WHEEL ADAPTORS ▲

- Allows for quick conversion from a frame contact lift, to a wheel engaging lift and back again
- Takes up less shop space than any 4-post lift
- Use on front, rear or all arms
- Keeps tires at "street level" for exhaust work

- Ideal for vehicle storage
- Standard model fits vehicle wheelbases up to 116"
- Eliminates the wasted time of positioning swing arms
- Longer model available with additional 5" long swing arm and 5" longer sliders for wheelbases up to 138"



Shown: System IA Accessory #ZZ757-D





SPEEDLANE ADAPTORS ▲

- Turns your two-post lift into a quick drive-on lift
- No time wasted positioning swing arms
- Quickly slips on and locks in place in seconds
- Provides full under vehicle access
- Leaves wheels to hang free for tire, brake and under-vehicle service
- Weighs only 90 lbs.
- Available for Mohawk 9,000 to 18,000 lb. capacity two-post lifts
- ALL certified

◀ 3 STAGE SWING ARMS

- Optional lower height three stage swing arms that retract 2" (1" each side) shorter and reach 10" longer for varied fleets.



Shown: LC-12-3SA

2-POST OPTIONS



◀ FOAM DOOR GUARD

- 2" thick soft foam won't damage doors (unlike other hard plastic door protectors)
- Protects vehicle from dents and scratches if the door is accidentally opened into the columns

ADJUSTABLE LIFTING PAD ▶

- Height adjustable ACME screw type lift pads
- Available for all 7,000 – 30,000 lb. capacity two-post lifts
- Choice of rubber or steel top pads
- Gives additional 3+" of fine pad adjustment



Shown: System IA
Accessory
#ZZ1035-A-003



Shown: TP-16
Accessory # 015-011-061

SWING-ARM LIFTING PAD ▲

- Attaches to swing arm and not slider
- Gives access for special lifting requirements
- Optional rubber protects underbody
- Available in rubber or steel



◀ IN-FLOOR HYDRAULIC LINES

- Great for shops with low ceilings
- Made from one-piece stainless steel, hydraulic lines that never corrode
- Eliminates overhead lines
- Frees up overhead space for rolling shop cranes, tall vehicles, box vans or overhead shop equipment



Shown: System IA
Accessory
#007-011-003

EXTENDED HEIGHT OVERHEAD LINES ▶

- Made of stainless steel that never needs replacing
- Adjustable to any ceiling height
- Hydraulic lines can be lowered for low ceiling shops



Shown: System IA
Accessory #000-000-008



TURF MAINTENANCE EQUIPMENT & AUTO SERVICE LIFT ▶

- Allows for quick conversion from a frame engaging lift to a turf maintenance lift
- Services cars, trucks, zero turn mowers, turf equipment and four wheelers
- Fits both 2 stage and 3 stage arms with max wheelbase of 119 1/2" (on 3 stage arms)
- ALI Certified



Shown as Turf
Maintenance Lift

FRAME ENGAGING LIFT OR
TURF MAINTENANCE LIFT



Shown as
Service Lift



Shown: System IA-10
Accessory #009-012-001

OTHER LIFT OPTIONS

TIRE DOLLY MODEL TD-1000/2000 ▶

- 1,000 or 2,000 lb. capacity
- High 46" lifting height & 6" side shifting ability makes alignment simple
- Heavy Duty 4" steel ball bearing casters allow easy movement
- Tilting lift arms aid axle realignment and provide additional stability to the fully loaded tire dolly
- Safety chain provided to secure loads
- Rear casters swivel 360 degrees, front casters equipped with locks
- Counterbalanced tire dolly available for parallelogram lifts
- Air/hydraulic operation allows for easy raising and lowering of dual tire applications
- Use with any lift or anytime heavy-duty truck tires must be removed



▲ SCISSOR LIFTING TABLE

- 2,500 lb. capacity lifting table
- AIR/hydraulic operation
- Ideal for removing heavy components such as transmission and differentials
- 3' tall lowered height raises to 6'



- **Reduce Injuries**
- **Increases Shop Productivity**

BACKSAVER ▶

- Hang tires from lift swing arms
- Heavy rubber coating prevents damage to expensive wheels and rims, and swings 180° when not in use
- 100 lb. capacity will hold the heaviest passenger car and light truck tires
- Available for all Mohawk 10,000 lb. to *20,000 lb. two post lifts



MOHAWK LIFTS

Mohawk Lifts, LLC.
P.O. Box 110
65 Vrooman Ave
Amsterdam, NY 12010
(800) 833-2006
(518) 842-1431
FAX: (518) 842-1289
www.mohawklifts.com

AVAILABLE UNDER DISCOUNTED GOVERNMENT
CONTRACT IN ALL 50 STATES



DISTRIBUTED BY:

For more detailed product
information read this book at
www.mohawklifts.com

