

D–sız ϵ 75-30-F PAGE 4 o of ∞ 6.00 (152) DEPTH OF DRAINAGE— CHANNEL VARIES ALONG TRENCH LENGTH. SEE NOTE 8 9.00 (229) 6.00 (152) 16.50 (419) NOTICE OF CONFIDENTIAL INFORMATION INFORMATION CONTANTO HERRIN IS CONFIDENTIAL AND PROPERTY OF MOMENT RESOURCES LTD. WHERE DAWNING IS LIBERISHED TO OTHERS IT SHALL BE LISTO SOLLLY FOR PURPOSES OF INSECTION INSTALLATION, OR MAINTEANCE, THE INFORMATION SHALL NOT BE LISTO ON DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSES WHATSOEVER. 3.50 MAX TYP (89) 36.00 (914) #6 SLOPE SLOPE SEE NOTE 8, TYP 5 - #6 x 36 41.00 (1041) B-BNOTES

1. REMOVE ALL SHARP CORNERS & EDGES.
2. UNLESS OTHERWISE SPECIFIED, SURFACE
FINISH TO BE 125 RMS.
3. VELDING MEDIUM SHALL CONFORM TO ANS
SPECIFICATIONS TO E-70XX ELECTRODES OR
E-70TI CODE 5.3 FLUX CORE WIRE DNLY. SLOPE 8 - #6 3.00 COVERAGE (76) 36.00 (914) +6.00 TYP (152)SLOPE FILE NAME P-1410-D-001 TOLERANCES:
ANGULAR
FRACTIONAL ± .030
DECIMAL: ± .030
0.XX
± .005 UNITS = INCHES (mm)FINISHED FLOOR ELEVATION TWO LAYERS 6 P-1410-A-001 #4 @ 12 DOWELS, TYP #4 @ 12 TIES, TYP #6, TYP NE X T

ASSEMBLY DATE 4/6/04 MEIGHT


CHECKED APPROVED


SCALE 3/32 DRAWN dak TITLE PIT DRAWINGS & SECTIONS FOR 75-30-F (FLUSH) MOHAWK RESOURCES LTD. | DRAWING NUMBER | A| | P-1410-D-001 | A| | PAGE 4 of 8


113.00 (2870)


x 6 10/10 WWF, TYP

DESCRIPTION | DATE | APPROVED | METRIC DIM'S ADDED TO DRAWING | 06/15/2004 | dak0879









50 SUGGESTED	AIR VOLUME- TOTAL REQ'D CAPACITY (CFM)
30 MINIMUM	TOTAL REQ'D CAPACITY (
20	
25 EACH	AIR VOLUME— OPTIONAL ROLLING JACK (CFM)
5	AIR VOLUME— LIFT (CFM)(LOCKS)
85 to 100	AIR PRESSURE (PSI)
	SHOP AIR
8	LIGHT FIXTURES (OPTIONAL LIGHTING KIT) QTY
4.8 AMP	24 VDC POWER SUPPLY
7.69 AMP	CONTROL CIRCUIT TRANSFORMER 1000 VA
20 FULL LOAD AMPS	600 VAC 3 PHASE
20	MOTOR HORSEPOWER
-	ELECTRICAL
DEXRON III (ATF)	OIL TYPE
30 TOTAL	RESERVOIR CAPACITY (GAL)
	HYDRAULIC
SEE PIT DRAWINGS	MINIMUM CONCRETE THICKNESS (IN.)
3.00	MINIMUM EMBEDMENT LENGTH (IN.)
N/A- SEE ANCHOR DETAILS	ANCHOR BOLT SETTING TORQUE
SEE ANCHOR DETAILS	BOLT PATTERN
56	TOTAL NUMBER OF ANCHOR BOLTS
3/4"	ANCHOR BOLT DIAMETER (IN.)
	ANCHORAGE
75,000	MAXIMUM LOAD CAPACITY (LBS)
	LIFT UNIT DATA
	75-30-FLUSH
	PARALELLOGRAM LIFT MODEL
	MOHAWK RESOURCES, LTD
	LIFT DATA TABLE

REQUIRED MATERIAL LIST

MATERIALS SHOWN ON THIS LIST SHALL BE USED WITHOUT SUBSTITION UNLESS SPECIFICALLY APPROVED IN WRITING BY MOHAWK RESOURCES, LTD.


	ITEM	1	2	3	4	5	6*	7	00	9	10*	11*	12	
	QTY	AR	AR	1	AR	AR	1	4	4	4	56	AR	1	
* ITEMS SUPPLIED BY MOHAWK WITH THE LIFT UNIT	DESCRIPTION	4" SCH 40 PIPE	4" SCH 40 STREET ELBOW	FILTER/LUBRICATOR/REGULATOR, DRYER SHUTOFF	1" RIGID CONDUIT	SEALTITE FLEXIBLE CONDUIT	JUNCTION BOX (IN CONSOLE)	1" SCH 40-90 DEG ELBOW	1-3/4" REDUCER BUSHING	1" SEAL BARRIER	3/4" x 5" ANCHOR BOLT ASSEMBLY	LEVELING SHIMS	LOCKOUT/TAGOUT DISCONNECT BOX	
	MATERIAL	STEEL or PVC	STEEL or PVC		STEEL	METAL CORE	STEEL	CROUSE - HINDS EL3	CROUSE - HINDS RE32	CROUSE — HINDS EYS3	WEJ-IT - WEDGE ANCHORS	1/16", 1/8", 1/4" THICK	PER LOCAL ELECTRICAL CODES	


CUSTOM - ALOUETTE, CA


MEOGRATION CONTAINED HERIN IS COMPIDENTAL AND PROPERTY OF MOHANK RESOMECES LTD. WHERE DAMMING IS URUNISHED TO OTHER IT SHALL BE USED SOLLLY FOR PURPOSES OF INSPECTION, INSTALLATION, OR MAINTENANCE. THE MEDIGANION SHALL HOT BE USED ON DISCLOSED OF THE RECIPIENT TOR ANY OTHER PURPOSES WHATSOEVER.	NOTICE OF CONFIDENTIAL INFORMATION
ω	is in R

OPERTY OF TO OTHERS I, INSTALLATION, OR DISCLOSED R.	7.000
2 UNLESS OTHERWISE SPECIFIED, SURFACE FINISH ID BE 125 BMS. 3 WELDING MEDIUM SHALL CONFORM TO AVS SPECIFICATIONS TO E-70XX ELECTRODES E-70TI CODE 5.3 FLUX CORE WIRE ONLY.	1. REMOVE ALL SHART CURNERS & EDGES.

1	ECTRODES OR	RM TO AWS	SUKTALE	2	EDGES.
ZZ870-D-002	-11 - NAME	0.XXX ± .005	DECIMAL: ± .030	FRACTIONAL + .030	
NEXT ASSEMBLY					ZZ870-A-001
SEMBLY					
4/6/04	777		СНЕСКЕД		SCALE
WEIGHT LB.			APPROVED		DRAWN RV
7 7 3	ייייי		JITIT		중
		LIFT DAT	TITLE 75-30-F (Flush,		AWK R
ZZ870-D-002	ההאוווה אייואהה	4 IABLE	(Flush)		MOHAWK RESOURCES LTD
\triangleright	•				₽_








ANCHOR DETAILS

Ø

SHIMMING



REPRESENTATIVE TIGHTENING TIGHTENING FROM CENTER OF BASE OUTWARD (৬) (<u>u</u>)[\bigcirc \square \circ SEQUENCE FOR ANCHOR BOLTS (v)[\bigcirc 0

OF BASE

IPPROVED ANCHOR BOLTS PROVIDED BY MOHAWK LIFT

ANCHOR BOLTS ARE MANUFACTURED BY

WEJ-IT FASTENING SYSTEMS 2415 EAST 13TH PLACE TULSA, OKLAHOMA 74104

PHONE 918-744-7444 OR 800-343-1264

WEB SITE WWW.WEJIT.COM

PLACEMENT OF LEVELING SHIM DETAIL

LEVELING SHIMS ARE AVAILABLE IN A RANGE OF THICKNESSES FROM 1/16", 1/8", & 1/4"

LEVELING

SHIM DETAIL

TYPICAL ANCHOR BOLT


ANCHORS SPECIFIED ARE: "THE ORIGINAL WEJ-IT" EXPANSION ANCHORS, 3/4 DIA

CATALOG NUMBER

NO OTHER ANCHOR BOLT SUBSTITUTIONS ARE PERMITTED WITHOUT WRITTEN APPROVAL FROM MOHAWK RESOURCES, LTD. UNDER CERTAIN CIRCUMSTANCES EPOXY GROUTED THREADED ROD ANCHORAGE MAY BE USED BUT ANY USE OF SUCH REQUIRES WITTEN APPROVAL OF MOHAWK RESOURCES, LTD. ANY OTHER UNAPPROVED ANCHOR BOLT PRODUCT MAY NOT HAVE THE DOCUMENTED STRENGTH TO MEET THE CERTIFICATION REQUIREMENTS OF THE AUTOMOTIVE LIFT INSTITUTE AND MAY AFFECT THE CERTIFICATION OF THE INSTALLATION.

INSTALLATION INSTRUCTIONS

- 1. DRILL HOLDING THE HOLE PERPENDICULAR TO THE WORK SURFACE. *TO ASSURE FULL POWER, DO NOT REAM THE HOLE OR ALLOW THE DRILL TO WOBBLE.
- 2. DRILL THE HOLE DEEPER THAN THE INTENDED EMBEDMENT OF THE ANCHOR, BUT NOT CLOSER THAN TWO ANCHOR DIAMETERS TO THE BOTTOM (OPPOSITE) SURFACE OF THE CONCRETE.
- 3. CLEAN THE HOLE USING COMPRESSED AIR AND A NYLON BRUSH. A CLEAN HOLE IS NECESSITY FOR PROPER PERFORMANCE.
- 4. TURN THE NUT ONTO THE ANCHOR UNTIL CONTACT IS MADE WITH THE TOP OF THE SPEARS AND THE BOTTOM OF THE WASHER. INSERT ANCHOR INTO HOLE.
- 5. TAP , ANCHOR INTO HOLE WITH A 2 1/2 LBS HAMMER UNTIL WASHER RESTS AGAINST FIXTURE.
- 6. TIGHTEN THE NUT TO 175 FT-LBS MAXIMUM TORQUE AND NOT LESS THAN 3 FULL TURNS, BUT NOT MORE THAN 5 TURNS PAST THE HAND TIGHT POSITION. (USE OF AN IMPACT WRENCH FOR INSTALLATION OF ANCHORS IS NOT RECOMMENEDED)



ALWAYS WEAR SAFETY GLASSES. FOLLOW THE DRILL MANUFACTURER'S SAFETY INSTRUCTIONS. USE ONLY SOLID CARBIDE—TIPPED DRILL BITS MEETING ANSI B212.15 DIAMETER STANDARDS.


NOTICE OF CONFIDENTIAL INFORMATION

NOTES:

1. REMOVE ALL SHARP CORNERS & EDGES.
2. UNLESS OTHERWISE SPECIFIED, SURFACE
FINISH TO BE 125 RMS.
3. WELDING MEDIUM SHALL CONFORM TO AWS
SPECIFICATIONS TO E-70XX ELECTRODES OR
E-70TI CODE 5.3 FLUX CORE WIRE ONLY.

ANGULAR ± 1
FRACTIONAL ± 0
DECIMAL: ± 0
0.XX
0.XXX ± 1 TLE NAME P-010-D-004 ± 1.030 ± .030 P-010-A-001 NEXT ASS EMBLY A/03 CHECKED DRAWN dak MOHAWK RESOURCES LTD. ANCHOR DETAILS & SHIMMING DRAWING NUMBER P-010-D-004

HYGHANION CONTANED HEEM IS CONFIDENTIAL AND PROPERTY OF MOHAWA RESOURCES LID. WHERE DRAWING IS FIRMINISTED TO OTHERS TO SMILLY FOR PURPOSES OF INSPECTION, INSTALLATION, OR MAINTENANCE, THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSES WANTSOCKER.



GENERAL NOTES

CONCRETE USED FOR THE BASE AND THE SIDE WALLS OF EACH TRENCH AND ANY OTHER NEW WHICH IS USED FOR THIS INSTALLATION MAY HAVE A MINIMUM STRENGTH OF F'c=2,500 psi, A F'c=4,000 psi IS RECOMMENDED WHERE POSSIBLE. psi, A STRENGTH 9

CONCRETE USED FOR THE BASE AND SIDEWALLS OF THE TRENCH AREAS STRENGTH BEFORE THE LIFT AND THE ANCHOR BOLTS ARE INSTALLED. SHALL REACH ITS DAY

NOTE 3
CONCRETE REINFORCEMENT SIZES AND REINFORCEMENT SPECIFICATION FOR THE BASE OF EACH TRENCH SHALL
BE DETERMINED BY AN ENGINEER OR ARCHITECT (AT THE EXPENSE OF THE PURCHASER) AND SHOULD BE
DETERMINED CONSIDERING THE LOCAL SOIL CONDITIONS AND THE APPLIED LOADING. AS A MINIMUM, GRADE 60
REINFORCEMENT OF THE SIZE AND SPACING SHOWN ON THE DRAWINGS SHALL BE USED.

NOTE 4
CONCRETE REINFORCEMENT SPECIFICATIONS FOR THE FLOOR AREA AROUND THE TRENCHES SHALL BE
DETERMINED BY AN ENGINEER OR ARCHITECT (AT THE EXPENSE OF THE PURCHASER) AND SHOULD BE
DETERMINED CONSIDERING THE LOCAL SOIL CONDITIONS AND THE APPLIED LOADING. AS A MINIMUM, TWO
LAYERS OF GRADE 60, 6X6—10/10 WELDED WIRE FABRIC SHOULD BE USED IN THE VICINITY OF THE LIFT
AND BETWEEN THE TRENCHES.

NOTE 5

THE REINFORCING STEEL USED IN THE BASE OF THE TRENCHES SHALL INTERFERE WITH THE ANCHOR BOLTS USED TO ATTACH THE LIFT UNIT. INSTALLED OS AS 7 *N07*

NOTE 6

WEJ—IT FASTENING SYSTEMS, AT WEDGE ANCHORS ARE PROVIDED WITH THE LIFT FOR ANCHORING THE LIFT UNIT TO THE FLOOR SYSTEM. THE NUMBER AND THE SIZE OF ANCHOR BOLTS SPECIFIED IN THE DRAWING MUST BE USED TO ATTACH THE LIFT UNIT. ANCHOR BOLTS OF FULL LENGTH MUST BE USED ALL LOCATIONS PROVIDED ON THE BASE OF THE LIFT UNIT. ⋛

NOTE 7 CARE MUST BE TAKEN TO ENSURE THAT THE SIDE WALLS OF THE TRENCH APPROXIMATELY 1 1/2 OF CLEARANCE IS PROVIDED ALONG THE SIDES OF ARE PARALLEL THE RUNWAYS. AND

SLOPE THE BOTTOM OF THE TRENCH 1/16 INCH PER FOOT TOWARD THE DRAINAGE CHANNEL. DRAINAGE CHANNEL 1/16 INCH PER FOOT TOWARD THE CATCH BASIN.

NOTE 9 CARE MUST BE TAKEN TO ENSURE THAT THE BASE OF THE TRENCH AREAS ARE AT THE PROPER MAXIMUM OF ONE INCH ADJUSTMENT (SHIMMING) IS PERMITTED FOR INSTALLATION LEVELING.

WHERE MORE THAN 3/4 INCH OF SHIM LEVELING IS REQUIRED, FULL SUPPORT PLATE CONTACT SHIMS ARE AVAILABLE AT ADDITIONAL COST. THE FULL CONTACT SHIM PLATES SHALL THEN BE ACCURATELY LEVELED USING INDIVIDUAL ANCHOR BOLT SHIMS ARE AVAILABLE IN A RANGE OF THICKNESSES FROM 1/16 INCH TO 1/4 INCH.

NO EMBEDDED PLUMBING, TUBES, CONDUITS OR OTHER ITEMS, EXCEPT THE LIFT UNIT SERVICE LEG CONDUITS SHALL BE CLOSER THAN 16 INCHES FROM ANY ANCHOR BOLT. ALSO, THE SERVICE LEG CONDUITS SHALL BE INSTALLED ACCURATELY IN THE LOCATIONS SHOWN IN THE PLAN AND DETAIL VIEWS TO MINIMIZE THE EFFECT ON THE ANCHORAGE.

NOTE 12 PROVIDE TWO, 4 I THE POWER UNIT INCH SCH 40 PVC TO EACH SERVICE PIPE LEG. AS HYDRAULIC-PNEUMATIC SERVICE SUPPLY CONDUIT RUNNING FROM

NOTE 13 PROVIDE 4, 1 INCH SCH 40 STEEL CONDUITS AS ELECTRICAL SERVICE SUPPLY RUNNING FROM THE POWER UNIT TO THE SERVICE LEGS. THESE CONDUITS SHALL BE INSTALLED AS SHOWN ON THE SECTION VIEWS AND MUST BE INSTALLED ACCORDING TO APPLICABLE ELECTRICAL CODES.

NOTE 14 ONE 4 INCH SCH 40 PVC DRAIN PIPE SHOULD BE PROVIDED TO CARRY DRAINAGE FROM THE CATOTIC DESTINATION. OII—WATER SEPARATOR. THIS PIPE SHOULD SLOPE A MINIMUM OF 1/16 INCH PER FOOT TOWARD THE DESTINATION. TO CARRY DRAINAGE FROM THE CATCH BASINS TO AN

AND

EMBEDDED PIPES. IT IS RECOMMENDED TO LEAVE PULL ROPES

THE CONTROL CONSOLE MUST BE LOCATED IN THE VICINITY OF THE LIFT. IT SHOULD BE PLACED FAR ENOUGH AWAY FROM THE LIFT TO ALLOW FOR ACTIVITIES AROUND THE LIFT. THE ENCLOSED DRAWINGS SHOW THE CONSOLE IN A STANDARD POSITION. THE CONTROL CONSOLE MAY BE LOCATED ON EITHER SIDE AND ANYWHERE ALONG THE LENGTH OF THE LIFT, BUT ANY DEVIATIONS FROM THE ENCLOSED DRAWINGS MAY REQUIRE LONGER CABLES, HOSES, CONDUIT, ETC. AT ADDITIONAL EXPENSE TO THE PURCHASER. CONDUITS TEMPORARY CAPS FOR ALL CONDUITS S FOR EASE OF LIFT INSTALLATION.

LIFT UNIT DATA TABLE. A FILTER/LUBRICATOR/REGULATOR IS SUPPLIED WITH THE LIFT UNIT FOR THE LOCKING SYSTEM ONLY. A FILTER/LUBRICATOR/REGULATOR, AIR DRYER AND SHUTOFF VALVE MUST BE PROPER THE LIFT UNIT TO OPERATE THE OPTIONAL ACCESSORIES. THE REQUIRED VOLUME OF AIR SHOWN IN LIFT UNIT DATA TABLE RECOGNIZES THAT NOT MORE THAN ONE AUXILIARY AIR CONSUMER WILL BE USED NOTE 17 THE LIFT UNIT REQUIRES CLEAN DRY COMPRESSED AIR AT SIMULTANEOUSLY. THE PRESSURE AND VOLUME SHOWN ON THE S SUPPLIED WITH THE LIFT UNIT FOR THE AIR DRYER AND SHUTOFF VALVE MUST BE PROVIDED 'S. THE REQUIRED VOLUME OF AIR SHOWN IN THE

NOTE 18

PROVIDE ONE, 1 INCH SCH 40 RIGID STEEL CONDUIT AS A C SHOWN UNDERGROUND, ALTERNATIVELY IT MAY BE BROUGHT DEPENDING ON CUSTOMER PREFERENCE. IF BROUGHT OVERHE THE TERMINAL END OF THE CONDUIT TO THE CONTROL CONSI COMPRESSED AIR SUPPLY. THIS CONDUIT IS TO THE CONTROL PANEL OVERHEAD SAD, PROVIDE FLEX CONDUIT CONNECTING

THE LIFT UNIT REQUIRES A HIGH VOLTAGE POWER SOURCE. A LOCKOUT/TAGOUT ELECTRICAL DISCONNECT BOX MUST BE PROVIDED FOR THE POWER SOURCE. THE LOCKOUT/TAGOUT DISCONNECT BOX MUST BE INSTALLED ACCORDING TO APPLICABLE ELECTRICAL CODES. THIS ELECTRICAL DISCONNECT IS TO BE PROVIDED BY

PROVIDE ONE, 1 INCH SCH 40 RIGID STEEL CONDUIT AS ELECTRICAL SERVICE SUPPLY RUNNING FROM THE BUILDING POWER SOURCE TO THE CONTROL CONSOLE. THIS CONDUIT IS SHOWN UNDERGROUND, ALTERNATIVELY IT MAY BE BROUGHT TO THE CONTROL PANEL OVERHEAD DEPENDING ON CUSTOMER PREFERENCE. PROVIDE A LOCKOUT/TAGOUT ELECTRICAL DISCONNECT BOX WITHIN SIGHT AND AS CLOSE TO THE CONTROL CONSOLE AS IS PRACTICAL. THIS ELECTRICAL SUPPLY CONDUIT AND DISCONNECT BOX MUST BE INSTALLED ACCORDING TO LOCAL ELECTRICAL CODE REQUIREMENTS.

ANY OTHER TYPE OF INSTALLATION INVOLVING A SLAB NOT ON GRADE (I.E.—SLAB SUPPORTED BY SECOND STORY SLAB, ETC.) MUST BE REVIEWED & ANALYZED FOR SUITABILITY BY THE BUILDING ARCHITECT, AT THE EXPENSE OF OTHERS. ALL FLOOR REQUIREMENTS ARE BASED ON A CONCRETE SLAB THAT IS <u>ON GRADE</u> (SUPPORTED BY SOIL). ANY OTHER TYPE OF INSTALLATION INVOLVING A SLAB NOT ON GRADE (I.E.—SLAB SUPPORTED BY PYLONS,

INFORMATION CONTAINED HEREIN IS CONFIDENTIAL AND PROPERTY OF MOHANK RESOURCES LID. WHERE DRAWNIG IS FURNISHED TO OTHERS IT SHALL BE USED SOLELY FOR PURPOSES OF INSPECTION, INSTILLATION, OR MAINTENANCE THE INFORMATION SHALL NOT BE USED OR DISCLOSED BY THE RECIPIENT FOR ANY OTHER PURPOSES WHATSOCKER.

NOTES:

1. REMOVE ALL SHARP CORNERS & EDGES.

2. UNLESS CINERVISE SPECIFIED, SURFACE
FINISH TO BE 125 RMS.

3. WELDING MEDIUM SHALL CONFORM TO AWS
SPECIFICATIONS TO E-70XX ELECTRODES OR
E-70TI CODE 5.3 FLUX CORE WIRE DNLY.

뮸 ANGULAR FRACTIONAL DECIMAL: 0.XX 0.XX .030 P-1010-A-001 NEXT SSEMBLY 5/03 MOHAWK RESOURCES LTD. GENERAL NOTES