


MADE IN THE USA

TURF PACKAGE

OPTION EQUIPMENT MANUAL MODELS SYSTEM-IA / LMF-12 / TP-16 / TP-18



MOHAWK RESOURCES LTD.

MOHAWK INDUSTRIAL PARK

65 VROOMAN AVE. P.O. BOX 110

AMSTERDAM, NY 12010

TOLL FREE: 1-800-833-2006 **LOCAL**: 1-518-842-1431 **FAX**: 1-518-842-1289

INTERNET: www.MOHAWKLIFTS.com
E-MAIL: service@MOHAWKLIFTS.com



INSTALLATION AND SETUP INSTRUCTIONS

WARNING

USE OF THE TURF PACKAGE DECREASES THE LIFTING CAPACITY TO 4000 LBS. TOTAL (1000 LBS. PER ARM.)

REMOVE THE FOUR 1-3/8" NYLON LOCK NUTS FROM THE SWING ARM STUDS. (TOP SIDE ONLY) THESE WILL BE REPLACED BY THE FOUR 1-3/8" JAM NUTS PROVIDED. See Figure 1




Figure 1

PLACE THE TURF KIT ARM STOP WELDMENTS INTO PLACE ON THE CARRIAGES AT EACH ARM PIN LOCATION.

USING THE FOUR 1-3/8" NYLON JAM NUTS, ASSEMBLE THE ARM STOP WELDMENTS TO THE CARRIAGES. See Figure 2




Figure 2

TIGHTEN THE ARM RETAINING BOLTS THAT SURROUND EACH SIDE OF EACH ARM UNTIL THEY ARE SECURE.

TIGHTEN THE ARM LOCKING BOLT ON THE TOP OF THE ARM UNTIL ARM IS SECURE FROM ROTATION. See Figure 3




Figure 3

REMOVE THE LIFTING PADS FROM THE SLIDERS. PLACE THE FOUR LIFT PLATFORMS INTO PLACE AT THE END OF EACH SLIDER ON THE LIFT. NOTING APPROACH DIRECTION, PLACE THE SIX APPROACH RAMPS INTO PLACE ON THE LIFT PLATFORMS. See Figure 4.




Figure 4

RAISE LIFT AND INSTALL HAIRPINS AT THE BOTTOM OF EACH LIFTING PAD PIN TO SECURE PADS TO ARMS. **See Figure 5.**







Figure 5

PARTS LIST



ITEM#	PART #	DESCRIPTION	QTY
	012-011-081	ARM LOCK ASSEMBLY	REF
1	012-011-080	ARM LOCK WELDMENT	4
2	012-011-126	ARM LOCK BUSHING	4
3	600-640-194	BOLT, HEX HEAD, 3/4 – 16 NF X 1" LG, GR8	4
4	600-710-014	WASHER, FLAT, 1 3/8	4
5	600-640-005	BOLT, HEX HEAD, 1/2 – 13 NC X 1 1/2 LG, GR5	8
6	600-690-017	NUT, LOCK, JAM, 1 3/8 – 12 NF	4
	XXX-XXX-XXX	PAD ASSEMBLY	REF
7	012-011-009	RAMP WELDMENT	6
8	012-011-084	LIFT PLATFORM WELDMENT (SYS IA/ LMF-12 / TP-16)	4
9	009-011-135	TURF PAD PIN (FOR SYS IA)	4
10	012-011-128	TURF PAD PIN (FOR LMF-12/TP-16)	4
11	601-800-091	DECAL, 1000 LB MAXIMUM CAPACITY PER ARM	4
12	600-890-005	HAIR PIN, ¼ DIA	4





TURF PACKAGE MAXIMUM CAPACITY 1000 POUNDS PER PAD

PN #601-800-091